

In the claims:

Please amend claims 1 and 11. A detailed listing of the claims is presented, below.

1. (Currently Amended) A method for preparing a soy sour cream composition comprising:

providing an aqueous soy composition;

fermenting said soy composition with thermophilic bacteria until said soy composition has a pH of about 4.0 to about 5.0, to provide a fermented soy composition comprising a mixture of said bacteria and said aqueous soy composition;

incorporating an oil, a fat component or a combination thereof with said fermented soy composition; and

heating said fermented soy composition to a temperature sufficient to substantially deactivate about 50% to 100% of said thermophilic bacteria.

2. (Original) The method of Claim 1 wherein said aqueous soy composition comprises a soy milk.

3. (Previously Presented) The method of Claim 1 wherein said aqueous soy composition comprises water, a dry whole soybean particulate and a food grade acid, a salt of said acid or a combination thereof.

4. (Original) The method of Claim 1 further comprising incorporating a fat component with said aqueous soy composition and treating said soy composition at a pressure greater than about 2,000 psi.

5. (Previously Presented) The method of Claim 1 wherein said fermented soy composition is heated for a time, a temperature or a combination thereof sufficient to substantially discontinue fermentation.

6. (Previously Presented) The method of Claim 5 wherein said fermented soy composition is heated for a time, a temperature or a combination thereof sufficient to provide a substantially aseptic sour cream composition.

7. (Original) The method of Claim 1 further comprising treating fermented soy composition at a pressure greater than about 2000 psi.
8. (Original) The method of Claim 1 further comprising dehydrating said fermented soy composition.
9. (Original) The method of Claim 8 wherein said fermented soy composition is spray dried.
10. (Original) The method of Claim 8 comprising addition of water to reconstitute said dehydrated soy composition.
11. (Currently Amended) A process for preparing a sour cream product comprising:
- providing an aqueous soy composition;
 - fermenting said aqueous soy composition with at least one bacterial culture until said soy composition has a pH of about 4.0 to about 5.0, said fermentation at a temperature between about 40°C and about 50°C, to provide a fermented soy composition comprising a mixture of said bacteria and said aqueous soy composition;
 - cooling said fermented soy composition;
 - incorporating an oil, a fat component or a combination thereof with said fermented soy composition; and
 - heating said fermented soy composition to a temperature sufficient to provide a substantially aseptic sour cream product without curdling.
12. (Original) The process of Claim 11 wherein said fat and said oil component is selected from the group consisting of animal fats, vegetable oils, vegetable fats and combinations thereof.
13. (Previously Presented) The method of Claim 11 wherein said bacterial culture comprises at least one Lactobacillus strain and at least one Streptococcus strain.

14. (Original) The method of Claim 11 further comprising adding a food grade acid to adjust the pH of the fermented soy composition.

Claims 15-33. Canceled.